AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

(Currently Amended) A compound of formula (1):

wherein R_1 is selected from the group consisting of a hydrogen atom, C_1 to C_5 alkyl, C_1 to C_5 mono or dihydroxyalkyl, and phenyl or benzyl optionally substituted with a hydroxyl, amino or C_1 to C_3 alkoxy group, and R_2 is selected from the group consisting of C_1 to C_5 alkyl, C_1 to C_5 mono or dihydroxyalkyl, and phenyl or benzyl optionally substituted with a hydroxyl, amino or C_1 to C_3 alkoxy group, or R_1 and R_2 together with the nitrogen atom to which they are attached form a C_3 to $[[C_5]]$ C_6 saturated or unsaturated ring optionally containing in the ring one or more additional hetero atoms selected from C_5 and C_6 saturated or unsaturated ring containing in the ring one or more additional hetero atoms selected from C_6 saturated or unsaturated ring containing in the ring one or more additional hetero atoms selected from C_6 saturated or unsaturated ring containing in the ring one or more additional hetero atoms selected from C_6 saturated from C_6 and C_6 and

- 2. (Currently Amended) A compound of Claim 1 wherein R_1 is selected from the group consisting of a hydrogen atom, a C_1 to C_3 alkyl group, and phenyl or benzyl optionally substituted with an alkoxy group, and R_2 is selected from the group consisting of a C_1 to C_3 -alkyl-group, phenyl or benzyl optionally substituted with an alkoxy group, or R_1 and R_2 together with the nitrogen atom to which they are bound form a piperazine, imidazole, or morpholine ring.
- 3. (Original) A compound of Claim 2 wherein R₁ is hydrogen and R₂ is phenyl.

- 4. (Canceled)
- 5. (Canceled)
- 6. (Canceled)
- 7. (Original) A process for the preparation of a compound of formula (1) of Claim 1 comprising (a) reacting an 2,5-dimethoxy-benzaldehyde of formula (2)

with a reagent of the formula R₁R₂NH and a reductive amination reducing agent to produce a compound of formula (3)

and (b) deprotecting the compound of formula (3) by reacting with a deprotection agent producing a compound of formula (1):

$$R_1$$
 $N \longrightarrow R_2$
 OH
 OH

wherein R1 and R2 are as defined in Claim 1.

- 8. (Currently Amended) A process according to Claim 7 wherein R_1 and R_2 are each individually is selected from the group consisting of a hydrogen atom, a C_1 to C_3 alkyl group, and phenyl or benzyl optionally substituted with an alkoxy group, and R_2 is selected from the group consisting of a phenyl or benzyl optionally substituted with an alkoxy group, or R_1 and R_2 together with the nitrogen atom to which they are bound form a piperazine, imidazole, or morpholine ring.
- 9. (Original) A process according to Claim 7 wherein R_1 is hydrogen and R_2 is phenyl.

10. (Canceled)

11. (Withdrawn) A hair dye product comprising a hair dyeing composition containing at least one primary intermediate and at least one coupler and a developer composition containing one or more oxidizing agents, the hair dyeing composition containing a coupler of formula (1):

Page 4 of 13

wherein R_1 and R_2 are each individually selected from the group consisting of hydrogen atoms, C_1 to C_5 alkyl, C_1 to C_5 mono or dihydroxyalkyl, phenyl or benzyl optionally substituted with a hydroxyl, amino or C_1 to C_3 alkoxy group, or R_1 and R_2 together with the nitrogen atom to which they are attached form a C_3 to C_6 saturated or unsaturated ring optionally containing in the ring one or more additional hetero atoms selected from O_5 and N_5 atoms.

- 12. (Withdrawn) A hair dye product according to Claim 11 wherein the hair dyeing composition additionally contains a coupler is selected from the group consisting of: benzene-1,3-diol, 4-chlorobenzene-1,3-diol, naphthalen-1-ol, 2-methyl-naphthalen-1-ol, 2-methyl-benzene-1,3-diol, 2-(2,4-diamino-phenoxy)-ethanol, 2-(3-amino-4-methoxy-phenylamino)-ethanol, 2-[2,4-diamino-5-(2-hydroxy-ethoxy)-phenoxy]-ethanol, and 3-(2,4-diamino-phenoxy)-propan-1-ol, 3-amino-phenol, 5-amino-2-methyl-phenol, 5-(2-hydroxy-ethylamino)-2-methyl-phenol, 3-amino-2-methyl-phenol, 3,4-dihydro-2H-1,4-benzoxazin-6-ol, 4-methyl-2-phenyl-2,4-dihydro-3H-pyrazol-3-one, 1H-indol-6-ol, and 2-aminopyridin-3-ol.
- 13. (Withdrawn) A hair dye product according to Claim 11 wherein the primary intermediate is selected from the group consisting of: 2-methyl-benzene-1,4-diamine, benzene-1,4-diamine, 2-(2,5-diamino-phenyl)-ethanol, 1-(2,5-diamino-phenyl)-ethanol, 2-[(4-amino-phenyl)-(2-hydroxy-ethyl)-amino]-ethanol, 4-amino-phenol, 4-methylamino-phenol, 4-amino-3-methyl-phenol, 1-(5-amino-2-hydroxy-phenyl)-ethane-1,2-diol, 2-amino-phenol, 2-amino-5-methyl-phenol, 2-amino-6-methyl-phenol, N-(4-amino-3-hydroxy-phenyl)-acetamide, pyrimidine-2,4,5,6-tetramine, 2-(4,5-diamino-1H-pyrazole-1-yl)ethanol, 1-(4-methylbenzyl)-1H-pyrazole-4,5-diamine, and 1-(benzyl)-1H-pyrazole-4,5-diamine.
- 14. (Withdrawn) A hair dye product according to Claim 13 wherein the hair dyeing composition additionally comprises a coupler selected from the group consisting of: benzene-1,3-diol, 4-chlorobenzene-1,3-diol, naphthalen-1-ol, 2-methyl-naphthalen-1-ol, 2-methyl-benzene-1,3-diol, 2-(2,4-diamino-phenoxy)-ethanol, 2-(3-amino-4-methoxy-phenylamino)-ethanol, 2-[2,4-diamino-5-(2-hydroxy-ethoxy)-phenoxy]-ethanol, and 3-

(2,4-diamino-phenoxy)-propan-1-ol, 3-amino-phenol, 5-amino-2-methyl-phenol, 5-(2-hydroxy-ethylamino)-2-methyl-phenol, 3-amino-2-methyl-phenol, 3,4-dihydro-2H-1,4-bcnzoxazin-6-ol, 4-methyl-2-phenyl-2,4-dihydro-3H-pyrazol-3-one, 1H-indol-6-ol, and 2-aminopyridin-3-ol.

- 15. (Withdrawn) A hair dye product according to Claim 11 wherein R₁ and R₂ are each individually selected from the group consisting of hydrogen atom, a C₁ to C₃ alkyl group, phenyl or benzyl optionally substituted with an alkoxy group, or R₁ and R₂ together with the nitrogen atom to which they are bound form a piperazine, piperidine, imidazole, or morpholine ring.
- 16. (Withdrawn) In a hair dyeing system wherein at least one primary intermediate is reacted with at least one coupler in the presence of an oxidizing agent to produce an oxidative hair dye, the improvement wherein the at least one coupler comprises a compound of the formula (1):

wherein R_1 and R_2 are each individually selected from the group consisting of hydrogen atoms, C_1 to C_5 alkyl, C_1 to C_5 mono or dihydroxyalkyl, phenyl or benzyl optionally substituted with a hydroxyl, amino or C_1 to C_3 alkoxy group, or R_1 and R_2 together with the nitrogen atom to which they are attached form a C_3 to C_6 saturated or unsaturated ring optionally containing in the ring one or more additional hetero atoms selected from O, S and N atoms.

- 17. (Withdrawn) A system according to Claim 16 wherein R₁ and R₂ are each individually selected from the group consisting of hydrogen atom, a C₁ to C₃ alkyl group, phenyl or benzyl optionally substituted with an alkoxy group, or R₁ and R₂ together with the nitrogen atom to which they are bound form a piperazine, piperidine, imidazole, or morpholine ring.
- 18. (Withdrawn) A hair dyeing composition comprising, in a suitable carrier or vehicle, an effective hair dyeing amount of:
 - (a) at least one primary intermediate, and
 - (b) at least one coupler comprising a compound of the formula (1):

wherein R_1 and R_2 are each individually selected from the group consisting of hydrogen atoms, C_1 to C_5 alkyl, C_1 to C_5 mono or dihydroxyalkyl, phenyl or benzyl optionally substituted with a hydroxyl, amino or C_1 to C_3 alkoxy group, or R_1 and R_2 together with the nitrogen atom to which they are attached form a C_3 to C_6 saturated or unsaturated ring optionally containing in the ring one or more additional hetero atoms selected from O_5 and O_5 and O_6 saturated ring one or more additional hetero atoms.

19. (Withdrawn) A hair dyeing composition according to Claim 18 wherein the hair dyeing composition additionally contains at least one coupler selected from the group consisting of: benzene-1,3-diol, 4-chlorobenzene-1,3-diol, naphthalen-1-ol, 2-methyl-naphthalen-1-ol, 2-methyl-benzene-1,3-diol, 2-(2,4-diamino-phenoxy)-ethanol, 2-(3-amino-4-methoxy-phenylamino)-ethanol, 2-[2,4-diamino-5-(2-hydroxy-ethoxy)-phenoxy]-ethanol, and 3-(2,4-diamino-phenoxy)-propan-1-ol, 3-amino-phenol, 5-amino-phenol,

2-methyl-phenol, 5-(2-hydroxy-ethylamino)-2-methyl-phenol, 3-amino-2-methyl-phenol, 3,4-dihydro-2H-1,4-benzoxazin-6-ol, 4-methyl-2-phenyl-2,4-dihydro-3H-pyrazol-3-one, 1H-indol-6-ol, and 2-aminopyridin-3-ol.

- (Withdrawn) A hair dyeing composition according to Claim 18 wherein the at 20. least one primary intermediate is selected from the group consisting of: benzene-1,3-diol, 4-chlorobenzene-1,3-diol, naphthalen-1-ol, 2-methyl-naphthalen-1-ol, 2-methyl-benzene-2-(3-amino-4-methoxy-phenylamino)-2-(2,4-diamino-phenoxy)-ethanol, 1.3-diol, 2-[2,4-diamino-5-(2-hydroxy-ethoxy)-phenoxy]-cthanol, and 3-(2,4-diaminoethanol, 5-(2-hydroxy-5-amino-2-methyl-phenol, 3-amino-phenol. phenoxy)-propan-1-ol, 3,4-dihydro-2H-1,4-3-amino-2-methyl-phenol, ethylamino)-2-methyl-phenol, benzoxazin-6-ol, 4-methyl-2-phenyl-2,4-dihydro-3H-pyrazol-3-one, 1H-indol-6-ol, and 2-aminopyridin-3-ol.
- (Withdrawn) A hair dyeing composition according to Claim 20 additionally 21. comprising a coupler selected from the group consisting of: benzene-1,3-diol, 4chlorobenzene-1,3-diol, naphthalen-1-ol, 2-methyl-naphthalen-1-ol, 2-methyl-benzene-2-(3-amino-4-methoxy-phenylamino)-2-(2,4-diamino-phenoxy)-ethanol, 1,3-diol, 2-[2,4-diamino-5-(2-hydroxy-ethoxy)-phenoxy]-ethanol, and 3-(2,4-diaminoethanol, 5-(2-hydroxy-5-amino-2-methyl-phenol, 3-amino-phenol, phenoxy)-propan-1-ol, 3,4-dihydro-2H-1,4-3-amino-2-methyl-phenol, ethylamino)-2-methyl-phenol, benzoxazin-6-ol, 4-methyl-2-phenyl-2,4-dihydro-3H-pyrazol-3-one, 1H-indol-6-ol, and 2-aminopyridin-3-ol.
- 22. (Withdrawn) A hair dyeing composition of Claim 18 wherein R₁ and R₂ are each individually selected from the group consisting of hydrogen atom, a C₁ to C₃ alkyl group, phenyl or benzyl optionally substituted with an alkoxy group, or R₁ and R₂ together with the nitrogen atom to which they are bound form a piperazine, piperidine, imidazole, or morpholine ring.
- 23. (Withdrawn) A process for dyeing hair comprising forming a hair dye product composition by mixing a developer composition and a hair dyeing composition as defined

in Claim 18, applying to the hair an amount of the hair dye product composition effective to dye the hair, permitting the hair dye product composition to contact the hair for period of time effective to dye the hair, and removing the hair dye product composition from the hair.

24. (Withdrawn) A process according to Claim 23 wherein R_1 and R_2 are each individually selected from the group consisting of hydrogen atom, a C_1 to C_3 alkyl group, phenyl or benzyl optionally substituted with an alkoxy group, or R_1 and R_2 together with the nitrogen atom to which they are bound form a piperazine, piperidine, imidazole, or morpholine ring.